	Application No.	Applicant(s)
	00/762 145	YOSHIDA ET AL.
Notice of Allowability	09/762,145 Examiner	Art Unit
	Datalhara Ohan a saad	1774
TI MANUNO DATE And in commission and	Betelhem Shewareged	orrespondence address
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>4/9/2004</u> .		
2. X The allowed claim(s) is/are <u>1,2,4,7-10,12-24 and 26</u> .		
3. The drawings filed on are accepted by the Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> <li>2.  Certified copies of the priority documents have been received in Application No</li> </ul>		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
<ul> <li>6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of</li> </ul>		
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)		Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🗌 Interview Summary Paper No./Mail Da	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date		
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Statem	ent of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 09/762,145

Art Unit: 1774

## **REASONS FOR ALLOWANCE**

- 1. Claims 3, 5, 6, 11 and 25 are canceled, and claims 1, 2, 4, 7-10, 12-24 and 26 are pending.
- 2. Pending claims 1, 2, 4, 7-10, 12-24 and 26 are allowed.
- The following is an examiner's statement of reasons for allowance: The closest 3. art Hasegawa et al. (US 6,420,010) teaches a white laminated polyester film, wherein one of the layers i.e. layer A comprises a polyethylene terephthalate and titanium oxide particles, wherein the laminated polyester film has intensity ratio of grater than or equal to 0.15 and smaller than or equal to 0.4, frictional coefficient of smaller than 0.35 and surface roughness of 0.08-0.103 um. Hasegawa neither teaches nor suggests that the layer A of the laminated polyester film has the claimed thickness and the claimed properties such as glossiness, whiteness, and optical density. Furthermore, Hasegawa neither teaches nor suggests a layer comprising A) the claimed amount of dicarboxylic acid containing copolyester having sulfonate group, or the claimed amount of aqueous binder, B) the claimed amount of water soluble polymer compound, C) the claimed amount of particles having a surface energy of 50-70 mN/m, and D) the claimed amount of polyfunctional epoxy compound crosslinking agent laminated to a base polyester film, or laminated to a base polyester film having the claimed amount of titanium oxide, the claimed amount of inert particles, wherein the base film has the claimed glossiness, static friction coefficient and/or intensity ratio.

Art Unit: 1774

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Betelhem Shewareged whose telephone number is 571-272-1529. The examiner can normally be reached on Mon.-Thur. 7:30AM-6:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cynthia H Kelly can be reached on 571-272-1526. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Betelhen Shewareged April 30, 2004.